

Knowledge-Based Computational Intelligence and Data Mining in Biomedicine

Laboratory 1-2: Assignments



Adrian Horzyk

horzyk@agh.edu.pl



AGH

**AGH University of
Science and Technology
Krakow, Poland**

What should you learn to accomplish this course?



Popular Notebooks:



[Jupyter Notebook](#)



[Google Colab](#)


Popular frameworks:

- [Tensorflow 2.0](#)
- [Keras](#)



Popular libraries:

- [numpy](#)
- [scikit-learn](#)
- [pandas](#)
- [mxnet](#)
- [matplotlib](#)



Laboratory Assignments



What should you be able to do after these laboratories finish:

- Use CI tools like RapidMiner to analyze data, construct models, train them, optimizing hyperparameters.
- Develop CI models and use various methods and hyperparameters to solve different tasks and achieve good performance (high generalization accuracy and a low error), using Python frameworks (e.g. Keras) and libraries. Tune, regularize, optimize developed models and adapt various learning strategies. Create classifiers, detectors, regressors, and/or clustering models – details will be given during the laboratories.
- Implement a data mining model searching for frequent patterns using your skills and experience in any programming language like Python, C++, C#, or Java.
- Implement associative structures, search for similarities and groups of objects, and construct recommendation tools using your skills and experience in any programming language like Python, C++, C#, or Java.

Project Assignments



Your project assignment (in the 2nd part of the semester) should:

- Solve one chosen biomedical task and achieve high performance and high quality of the project together with nice interface, description and the presentation of results.
- Choose or prepare training data you want to work with.
- Develop one or more computational models and try to optimize them to solve the chosen biomedical problem.
- Use various hyperparameters, optimizers, training techniques to increase accuracy, and decrease errors.
- Take care about the generalization of the model to be high!
- You can also implement your solution from scratch not using only the high-level functions that implement models, but you can use your programming skills and experience in any programming language, e.g. Python, C++, C# or Java.

Assignments for Lab 1



Learn RapidMiner - a useful computational tool:

- It allows you to develop computational intelligence and data mining models, train them and use them in practice.
- Construct some solutions using RapidMiner blocks and links.
- Go through the [Rapid Miner tutorials](#) (built-in the Rapid Miner)(built-in the Rapid Miner) and build classifiers for a chosen dataset using a few CI methods and blocks like Optimize Parameters, Compare ROCs, Cross Validation, Normalize, etc. to get better performance of the model.
- **Prepare your Rapid Miner solution. It will be graded at the end of the 1st part of the semester (at the end of the laboratory classes).**
- Learn [Python](#) at the basic level at least before we start Laboratory 2.



RapidMiner



- ✓ [RapidMiner](#) is a data science platform for CI model development and machine learning.
- ✓ It focuses on four groups of problems:
 - **classification**
 - **clustering**
 - **regression**
 - **data mining**



RapidMiner





✓ Go through the tutorial and complete tasks:


Welcome to RapidMiner Studio!

Start Recent Learn

Online Resources

 **Explore RapidMiner Academy**
Jump-start your RapidMiner skills with our free, self-paced online training content.

 **Go to Documentation**
If you wish to learn all the tips and tricks Studio can offer, check out our online documentation.

 **Visit Community**
Need help? Visit our community forum, with more than 350 000 members and active participation by our research team.

Step by Step In-Product Tutorial

✓ Get started (8/8)	Cover the essentials of data access, manipulation, and processing using RapidMiner.
Prepare data (0/6)	
Build a model (0/5)	1. Operators and Processes Retrieve data and inspect it
Collaborate and scale (0/1)	2. Modeling Combine operators to build a statistical model
Use Hadoop (0/1)	3. Accessing Data Import data to the repository, add it to your process, visualize it
	4. Filtering and Sorting Determine the highest passenger fare women paid on the Titanic
	5. Merging and Grouping Join two data sets and aggregate to find the most purchased product
	6. Creating and Removing Columns Calculate total sales based on number of items sold and price. Keep only the interesting columns
	7. Changing Types and Roles



RapidMiner



Finally, choose one of the following task:

- Classification
- Clustering
- Regression
- Data mining

and an interesting dataset from [ML Repository](#) or other repositories (possibly biomedical data) about which would you like to learn something new, and create a computational intelligence or data mining model using Rapid Miner. Gather results and prepare a presentation.




RapidMiner



Experiment with new abilities of RapidMiner Studio:

- Turbo Prep – turbo preparation of data
- Auto Model – the construction of CI model semi-automatically



but create your model for this assignment
not using this automatic tools!

Assignments for Lab 2



Start your experience with Python, Notebooks and deep learning models and methods:

- Get familiar with the [Jupyter Notebook](#) and [Google Colab](#), download sample notebooks from [my website](#) and run them:
- [MNIST Classification Notebook](#):
- [CIFAR-10 Classification Notebook](#):
- Get familiar with the codes presenting the models for the classification of [MNIST](#) and [CIFAR-10](#) datasets.
- Learn [Python](#) at the intermediate level before we start Laboratory 3.
- You will be expected to create a classifier or any other predictor (regressor) in one of the next laboratory.

JUPYTER NOTEBOOKS

MNIST Classification

CIFAR-10 Classification



Jupyter Notebook Dashboard



Running a Jupyter Notebook in your browser:

- When the Jupyter Notebook opens in your browser, you will see the Jupyter Notebook Dashboard, which will show you a list of the notebooks, files, and subdirectories in the directory where the notebook server was started by the command line „jupyter notebook”.
- Most of the time, you will wish to start a notebook server in the highest level directory containing notebooks. Often this will be your home directory.

The screenshot shows the Jupyter Notebook Dashboard interface. At the top, there is a 'jupyter' logo and two buttons: 'Quit' and 'Logout'. Below the logo, there are three tabs: 'Files', 'Running', and 'Clusters'. The 'Files' tab is selected, and it shows a file browser interface. The file browser has a search bar and a list of files and directories. The list includes folders like '3D Objects', 'Apple', 'Contacts', 'Desktop', 'Documents', 'Downloads', 'Dropbox', 'Exhibeon', 'Favorites', 'Links', 'miniconda3', 'Music', 'OneDrive', 'OpenVPN', 'Pictures', 'PycharmProjects', 'Saved Games', 'Searches', 'source', 'Tracing', and 'Videos'. At the bottom of the list, there are several notebooks, each with a status indicator (a green icon) and a name. The notebooks are: 'Comparison of for-looped and vectorized efficiency of computations-Copy1.ipynb', 'Comparison of for-looped and vectorized efficiency of computations-Copy2.ipynb', 'Comparison of for-looped and vectorized efficiency of computations.ipynb', 'Python+Basics+With+Numpy+v3-Copy1 modified for lectures.ipynb', 'Python+Basics+With+Numpy+v3.ipynb', and 'Untitled.ipynb'. Each notebook has a status (e.g., 'Running') and a size (e.g., '7.72 kB').

Name	Last Modified	File size
3D Objects	5 miesięcy temu	
Apple	rok temu	
Contacts	5 miesięcy temu	
Desktop	miesiąc temu	
Documents	4 miesiące temu	
Downloads	18 godzin temu	
Dropbox	19 dni temu	
Exhibeon	3 miesiące temu	
Favorites	5 miesięcy temu	
Links	5 miesięcy temu	
miniconda3	3 dni temu	
Music	4 miesiące temu	
OneDrive	19 dni temu	
OpenVPN	2 lata temu	
Pictures	2 miesiące temu	
PycharmProjects	3 dni temu	
Saved Games	5 miesięcy temu	
Searches	5 miesięcy temu	
source	9 miesięcy temu	
Tracing	rok temu	
Videos	2 miesiące temu	
Comparison of for-looped and vectorized efficiency of computations-Copy1.ipynb	Running 2 dni temu	7.72 kB
Comparison of for-looped and vectorized efficiency of computations-Copy2.ipynb	Running 2 dni temu	7.72 kB
Comparison of for-looped and vectorized efficiency of computations.ipynb	Running 12 godzin temu	19 kB
Python+Basics+With+Numpy+v3-Copy1 modified for lectures.ipynb	Running 2 dni temu	41.9 kB
Python+Basics+With+Numpy+v3.ipynb	Running 2 dni temu	41.3 kB
Untitled.ipynb	3 dni temu	1.15 kB




Starting a new Python notebook




Start a new Python notebook:

- Clicking New → Python 3



- And a new Python project in the Jupyter Notebook will be started:



In the next assignments and examples, we will use the following packages:

- [numpy](#) is the fundamental package for scientific computing with Python.
- [h5py](#) is a common package to interact with a dataset that is stored on an H5 file.
- [matplotlib](#) is a famous library to plot graphs in Python.
- [PIL](#) and [scipy](#) are used here to test your model with your own picture at the end.

They must be imported:

```
In [2]: import numpy as np
import matplotlib.pyplot as plt
import h5py
import scipy
from PIL import Image
from scipy import ndimage
from lr_utils import load_dataset

%matplotlib inline
```



MNIST Classification in Jupyter Notebook



Import of libraries and setting of the parameters:

```
In [1]: '''Trains a simple ConvNet on the MNIST dataset. It gets over 99.60% test accuracy after 48 epochs  
(but there is still a margin for hyperparameter tuning). Training can take an hour or so!'''  
  
# Import Libraries  
from __future__ import print_function  
import numpy as np  
import math  
from math import ceil  
import tensorflow as tf  
import os  
import seaborn as sns  
import matplotlib.pyplot as plt # library for plotting math functions  
import pandas as pd  
import keras # Import keras framework with various functions, models and structures  
from keras.datasets import mnist # gets MNIST dataset from repository  
from keras.models import Sequential  
from keras.layers import Dense, Dropout, Flatten  
from keras.layers import Conv2D, MaxPooling2D  
from keras import backend as K  
from keras.preprocessing.image import ImageDataGenerator  
from keras.callbacks import ReduceLROnPlateau  
from sklearn import metrics  
from sklearn.metrics import confusion_matrix, classification_report  
  
# Set parameters for plots  
%matplotlib inline  
plt.rcParams['image.interpolation'] = 'nearest'  
plt.rcParams['image.cmap'] = 'gray'  
  
print ("TensorFlow version: " + tf.__version__)
```

TensorFlow version: 2.1.0

Defining of hyperparameters and the function presenting results:

```
In [2]: ► LABELS = ['0', '1', '2', '3', '4', '5', '6', '7', '8', '9']

# Define the confusion matrix for the results
def show_confusion_matrix(validations, predictions, num_classes):
    matrix = metrics.confusion_matrix(validations, predictions)
    plt.figure(figsize=(num_classes, num_classes))
    hm = sns.heatmap(matrix,
                      cmap='coolwarm',
                      linecolor='white',
                      linewidths=1,
                      xticklabels=LABELS,
                      yticklabels=LABELS,
                      annot=True,
                      fmt='d')
    plt.yticks(rotation = 0) # Don't rotate (vertically) the y-axis labels
    hm.invert_yaxis() # Invert the labels of the y-axis
    hm.set_ylim(0, len(matrix))
    plt.title('Confusion Matrix')
    plt.ylabel('True Label')
    plt.xlabel('Predicted Label')
    plt.show()
```

```
In [3]: ► # Define hyperparameters
batch_size = 512 # size of mini-batches
num_classes = 10 # number of classes/digits: 0, 1, 2, ..., 9
epochs = 3 # how many times all training examples will be used to train the model


# Input image dimensions
img_rows, img_cols = 28, 28

# Split the data between train and test sets
(x_train, y_train), (x_test, y_test) = mnist.load_data() # 60000 training and 10000 testing examples
```


Sample training examples from MNIST set (handwritten digits):

```
In [4]: ▶ # Show a few sample digits from the training set
plt.rcParams['figure.figsize'] = (2.5, 2.5) # set default size of plots
col1 = 10
row1 = 1
fig = plt.figure(figsize=(col1, row1))
for index in range(0, col1*row1):
    fig.add_subplot(row1, col1, index + 1)
    plt.axis('off')
    plt.imshow(x_train[index]) # index of the sample picture
    plt.title("Class " + str(y_train[index]))
plt.show()

# Show a few sample digits from the training set
plt.rcParams['figure.figsize'] = (1.0, 1.0) # set default size of plots
col2 = 20
row2 = 10
fig = plt.figure(figsize=(col2, row2))
for index in range(col1*row1, col1*row1 + col2*row2):
    fig.add_subplot(row2, col2, index - col1*row1 + 1)
    plt.axis('off')
    plt.imshow(x_train[index]) # index of the sample picture
plt.show()
```



Loading training data, changing the shapes of the matrices storing training and test data, transformation of the input data from [0, 255] to [0.0, 1.0] range, and conversion of numeric class names into categories:

```
In [5]: ▶ # According to the different formats reshape training and testing data
if K.image_data_format() == 'channels_first':
    x_train = x_train.reshape(x_train.shape[0], 1, img_rows, img_cols)
    x_test = x_test.reshape(x_test.shape[0], 1, img_rows, img_cols)
    input_shape = (1, img_rows, img_cols)
else:
    x_train = x_train.reshape(x_train.shape[0], img_rows, img_cols, 1)
    x_test = x_test.reshape(x_test.shape[0], img_rows, img_cols, 1)
    input_shape = (img_rows, img_cols, 1)

# Transform training and testing data and show their shapes
x_train = x_train.astype('float32') # Copy this array and cast it to a specified type
x_test = x_test.astype('float32')   # Copy this array and cast it to a specified type
x_train /= 255 # Transform the training data from the range of 0 and 255 to the range of 0 and 1
x_test /= 255  # Transform the testing data from the range of 0 and 255 to the range of 0 and 1
print('x_train shape:', x_train.shape)
print(x_train.shape[0], 'train samples')
print(x_test.shape[0], 'test samples')

# Convert class vectors (integers) to binary class matrices using as specific
y_train = keras.utils.to_categorical(y_train, num_classes) # y_train - a converted class vector into
y_test = keras.utils.to_categorical(y_test, num_classes)  # y_test - a converted class vector into c
```

x_train shape: (60000, 28, 28, 1)
60000 train samples
10000 test samples

Building a neural network structure (computational model):

```
In [6]: ▶ # Define the sequential Keras model composed of a few layers
model = Sequential() # establishes the type of the network model
# Conv2D - creates a convolutional layer (https://keras.io/layers/convolutional/#conv2d) with
# filters - specified number of convolutional filters
# kernel_size - defines the frame (sliding window) size where the convolutional filter is implemented
# activation - sets the activation function for this layers, here ReLU
# input_shape - defines the shape of the input matrix (vector), here input_shape = (1, img_rows, img_cols)
model.add(Conv2D(filters=32, kernel_size=(3, 3), activation='relu', input_shape=input_shape))
# model.add(Conv2D(32, (3, 3), activation='relu')) - shorter way of the above code
# MaxPooling2D pools the max value from the frame (sliding window) of 2 x 2 size
model.add(MaxPooling2D(pool_size=(2, 2)))
model.add(Dropout(0.20)) # Implements the drop out with the probability of 0.20
model.add(Conv2D(64, (3, 3), activation='relu', padding='same'))
model.add(MaxPooling2D(pool_size=(2, 2)))
model.add(Dropout(0.25))
model.add(Conv2D(128, (3, 3), activation='relu', padding='same'))
model.add(MaxPooling2D(pool_size=(2, 2)))
model.add(Dropout(0.30))
model.add(Conv2D(256, (3, 3), activation='relu', padding='same'))
#model.add(MaxPooling2D(pool_size=(2, 2)))
model.add(Dropout(0.40))
model.add(Conv2D(512, (3, 3), activation='relu', padding='same'))
#model.add(MaxPooling2D(pool_size=(2, 2)))
model.add(Dropout(0.50))
# Finish the convolutional model and flatten the layer which does not affect the batch size.
model.add(Flatten())
# Use a dense layer (MLP) consisting of 256 neurons with relu activation functions
model.add(Dense(256, activation='relu'))
model.add(Dropout(0.35))
model.add(Dense(128, activation='relu'))
model.add(Dropout(0.25))
model.add(Dense(num_classes, activation='softmax'))
```


[illegible]

Model evaluation, convergence drawing and error charts:

```
Epoch 1/3
117/117 [=====] - 239s 2s/step - loss: 1.9395 - acc: 0.2978 - val_loss: 1.0056 - val_acc: 0.6138
Epoch 2/3
117/117 [=====] - 254s 2s/step - loss: 0.8777 - acc: 0.7117 - val_loss: 0.1801 - val_acc: 0.9456
Epoch 3/3
117/117 [=====] - 252s 2s/step - loss: 0.3709 - acc: 0.8885 - val_loss: 0.0808 - val_acc: 0.9753
```

Evaluate, score and plot the accuracy and the loss

```
In [8]: ▶ # Evaluate the model and print out the final scores for the test set
score = model.evaluate(x_test, y_test, verbose=0) # evaluate the model on the test set
print('Test loss:', score[0]) # print out the loss = score[0] (generalization error)
print('Test accuracy:', score[1]) # print out the generalization accuracy = score[1] of the model on test set



# Plot training & validation accuracy values: https://keras.io/visualization/#training-history-visualization
plt.rcParams['figure.figsize'] = (15.0, 5.0) # set default size of plots
plt.plot(history.history['acc']) # The history object gets returned by the fit method of models.
plt.plot(history.history['val_acc']) # val_accuracy
plt.title('Model accuracy')
plt.ylabel('Accuracy')
plt.xlabel('Epoch')
plt.legend(['Train', 'Test'], loc='upper left') # OR plt.legend(['Train', 'Validation'], Loc='upper Left')
plt.show()

# Plot training & validation Loss values: https://keras.io/visualization/#training-history-visualization
plt.plot(history.history['loss']) # The history object gets returned by the fit method of models.
plt.plot(history.history['val_loss'])
plt.title('Model loss')
plt.ylabel('Loss')
plt.xlabel('Epoch')
plt.legend(['Train', 'Test'], loc='upper left') # OR plt.legend(['Train', 'Validation'], Loc='upper Left')
plt.show()
```

```
Test loss: 0.08078844527509063
Test accuracy: 0.9753000140190125
```

Model evaluation, convergence drawing and error charts:

Test loss: 0.08078844527509063
Test accuracy: 0.9753000140190125



Generation of summaries of the learning process

```
In [11]: ► # Use the trained model for predictions of the test data
y_pred_test = model.predict(x_test)


# Take the class with the highest probability from the test predictions as a winning one
max_y_pred_test = np.argmax(y_pred_test, axis=1)
max_y_test = np.argmax(y_test, axis=1)

# Show the confusion matrix of the collected results
show_confusion_matrix(max_y_test, max_y_pred_test, num_classes)

# Print classification report
print(classification_report(max_y_test, max_y_pred_test))
```

	precision	recall	f1-score	support
0	0.98	0.99	0.99	980
1	1.00	0.98	0.99	1135
2	0.97	0.98	0.98	1032
3	0.95	0.99	0.97	1010
4	0.99	0.96	0.98	982
5	0.96	0.99	0.97	892
6	0.97	0.98	0.98	958
7	0.99	0.96	0.98	1028
8	0.97	0.97	0.97	974
9	0.95	0.96	0.96	1009
accuracy			0.98	10000
macro avg	0.98	0.98	0.98	10000
weighted avg	0.98	0.98	0.98	10000

Generation of a confusion (error) matrix in the form of a heat map:



Counting and filtering incorrectly classified test data:

```
In [10]: # Find out misclassified examples
classcheck = max_y_test - max_y_pred_test # 0 - when the class is the same, 1 - otherwise
misclassified = np.where(classcheck != 0)[0]
num_misclassified = len(misclassified)

# Print misclassification report
print('Number of misclassified examples: ', str(num_misclassified))
print('Misclassified examples:')
print(misclassified)

# Show misclassified examples:
print('Misclassified images (original class : predicted class):')
plt.rcParams['figure.figsize'] = (2.5, 2.5) # set default size of plots
col = 10
row = 2 * math.ceil(num_misclassified / col)
fig = plt.figure(figsize=(col, row))
for index in range(0, num_misclassified):
    fig.add_subplot(row, col, index + 1 + col*(index//col))
    plt.axis('off')
    plt.imshow(x_test[misclassified[index]].reshape(img_rows, img_cols)) # index of the test sample picture
    plt.title(str(max_y_test[misclassified[index]]) + ":" + str(max_y_pred_test[misclassified[index]]))
plt.show()
```

Number of misclassified examples: 247

Misclassified examples:

```
[ 18  62  78 151 160 184 206 241 247 259 264 320 324 376
 412 420 435 479 497 511 542 571 582 619 629 646 674 684
 691 717 726 740 774 810 829 881 916 926 938 947 956 1014
1039 1050 1107 1112 1114 1119 1156 1182 1226 1228 1232 1247 1273 1279
1289 1299 1364 1393 1403 1453 1459 1527 1553 1621 1654 1709 1721 1754
1782 1790 1813 1878 1941 1965 2016 2035 2043 2070 2118 2129 2130 2135
2148 2182 2189 2237 2266 2293 2387 2447 2454 2462 2535 2597 2607 2654
2659 2705 2780 2823 2896 2939 2959 2995 3069 3073 3132 3166 3240 3269
3288 3289 3330 3333 3441 3504 3533 3534 3567 3597 3604 3716 3726 3762
3767 3780 3808 3811 3906 3926 4001 4007 4013 4015 4063 4065 4078 4137
4145 4207 4212 4224 4265 4271 4360 4477 4482 4497 4500 4571 4575 4604
4639 4690 4751 4761 4783 4808 4814 4823 4838 4860 4874 4879 4880 4943
4956 5159 5176 5183 5209 5642 5654 5749 5835 5842 5858 5887 5888 5903
5906 5914 5937 6011 6023 6065 6071 6081 6091 6166 6505 6554 6555 6558
6571 6572 6576 6584 6617 6625 6651 6783 6796 6883 6895 7121 7259 7434
7473 7812 7899 7915 8081 8094 8115 8236 8243 8245 8316 8382 8408 8469
8509 8520 8527 9009 9015 9019 9024 9036 9071 9280 9505 9530 9539 9629
9642 9679 9729 9770 9850 9856 9892 9904 9922]
```



**247 out of 10,000
incorrectly classified
test patterns:**

**One might wonder
why the network
had difficulty in
classifying them?**

**Of course, such
a network can be
taught further to
achieve a smaller
error!**

**This network was
taught only for
3 epochs!**

Misclassified images (original class : predicted class):





MNIST Classification in Jupyter Notebook






Now, let's try to train the network for 50 epochs:

```
Epoch 1/50
117/117 [=====] - 271s 2s/step - loss: 1.9644 - acc: 0.2841 - val_loss: 0.8554 - val_acc: 0.6723
Epoch 2/50
117/117 [=====] - 270s 2s/step - loss: 0.8482 - acc: 0.7236 - val_loss: 0.1902 - val_acc: 0.9377
Epoch 3/50
117/117 [=====] - 391s 3s/step - loss: 0.3834 - acc: 0.8843 - val_loss: 0.0880 - val_acc: 0.9706
Epoch 4/50
117/117 [=====] - 691s 6s/step - loss: 0.2535 - acc: 0.9239 - val_loss: 0.0543 - val_acc: 0.9819
...
Epoch 00037: ReduceLROnPlateau reducing learning rate to 0.25.
Epoch 38/50
117/117 [=====] - 352s 3s/step - loss: 0.0425 - acc: 0.9877 - val_loss: 0.0122 - val_acc: 0.9956
Epoch 39/50
117/117 [=====] - 351s 3s/step - loss: 0.0418 - acc: 0.9878 - val_loss: 0.0117 - val_acc: 0.9955
Epoch 40/50
117/117 [=====] - 351s 3s/step - loss: 0.0425 - acc: 0.9877 - val_loss: 0.0122 - val_acc: 0.9959
Epoch 41/50
117/117 [=====] - 360s 3s/step - loss: 0.0416 - acc: 0.9879 - val_loss: 0.0116 - val_acc: 0.9961
Epoch 42/50
117/117 [=====] - 349s 3s/step - loss: 0.0446 - acc: 0.9871 - val_loss: 0.0115 - val_acc: 0.9959
Epoch 43/50
117/117 [=====] - 353s 3s/step - loss: 0.0401 - acc: 0.9882 - val_loss: 0.0110 - val_acc: 0.9958
Epoch 44/50
117/117 [=====] - 354s 3s/step - loss: 0.0407 - acc: 0.9883 - val_loss: 0.0110 - val_acc: 0.9963
Epoch 45/50
117/117 [=====] - 347s 3s/step - loss: 0.0406 - acc: 0.9887 - val_loss: 0.0106 - val_acc: 0.9963
Epoch 46/50
117/117 [=====] - 353s 3s/step - loss: 0.0403 - acc: 0.9885 - val_loss: 0.0118 - val_acc: 0.9960
Epoch 47/50
117/117 [=====] - 1063s 9s/step - loss: 0.0414 - acc: 0.9885 - val_loss: 0.0109 - val_acc: 0.9963
Epoch 48/50
117/117 [=====] - 949s 8s/step - loss: 0.0427 - acc: 0.9877 - val_loss: 0.0111 - val_acc: 0.9962
Epoch 49/50
117/117 [=====] - 909s 8s/step - loss: 0.0386 - acc: 0.9887 - val_loss: 0.0108 - val_acc: 0.9962
Epoch 00049: ReduceLROnPlateau reducing learning rate to 0.125.
Epoch 50/50
117/117 [=====] - 891s 8s/step - loss: 0.0393 - acc: 0.9887 - val_loss: 0.0111 - val_acc: 0.9963
```


Graphs of learning convergence (accuracy) and error minimization (loss):

Test loss: 0.011101936267607016
Test accuracy: 0.9962999820709229





The number and the accuracy of correctly classified examples for all individual classes increase:



	precision	recall	f1-score	support
0	0.98	0.99	0.99	980
1	1.00	0.98	0.99	1135
2	0.97	0.98	0.98	1032
3	0.95	0.99	0.97	1010
4	0.99	0.96	0.98	982
5	0.96	0.99	0.97	892
6	0.97	0.98	0.98	958
7	0.99	0.96	0.98	1028
8	0.97	0.97	0.97	974
9	0.95	0.96	0.96	1009
accuracy			0.98	10000
macro avg	0.98	0.98	0.98	10000
weighted avg	0.98	0.98	0.98	10000

	precision	recall	f1-score	support
0	1.00	1.00	1.00	980
1	1.00	1.00	1.00	1135
2	1.00	1.00	1.00	1032
3	0.99	1.00	1.00	1010
4	0.99	1.00	1.00	982
5	1.00	0.99	0.99	892
6	1.00	0.99	1.00	958
7	1.00	1.00	1.00	1028
8	1.00	1.00	1.00	974
9	1.00	0.99	0.99	1009
accuracy			1.00	10000
macro avg	1.00	1.00	1.00	10000
weighted avg	1.00	1.00	1.00	10000

However, we can see that the process of network training is not over yet and should be continued for several dozen epochs.


The number of misclassified examples after 50 epochs compared to 3 epochs has dropped from 247 to 37 out of 10,000 test examples, resulting in an error of 0.37%. Here are the misclassified examples:

Number of misclassified examples: 37

Misclassified examples:

```
[ 359  445  582  659  674  716  947 1039 1232 1393 1737 1878 1901 2035
 2130 2182 2414 2462 2597 2939 3225 3422 3762 4176 4620 4761 5654 5937
 6558 6571 6576 8316 8376 8408 9530 9642 9729]
```

Misclassified images (original class : predicted class):




CIFAR-10 Classification in Jupyter



Classification of images 32 x 32 pixels to 10 classes (3 learning epochs):

Class [6] Class [9] Class [9] Class [4] Class [1] Class [1] Class [2] Class [7] Class [8] Class [3]





Create the network structure

```
In [6]: ▶ # Define the sequential Keras model composed of a few layers
model = Sequential() # establishes the type of the network model
# Conv2D - creates a convolutional layer (https://keras.io/layers/convolutional/#conv2d) with
# filters - specified number of convolutional filters
# kernel_size - defines the frame (sliding window) size where the convolutional filter is implemented
# activation - sets the activation function for this layers, here ReLU
# input_shape - defines the shape of the input matrix (vector), here input_shape = (1, img_rows, img_cols)
model.add(Conv2D(64, kernel_size=(3, 3), activation='relu', input_shape=input_shape))
model.add(Conv2D(64, (3, 3), activation='relu'))
# MaxPooling2D pools the max value from the frame (sliding window) of 2 x 2 size
model.add(MaxPooling2D(pool_size=(2, 2)))
model.add(Dropout(0.25)) # Implements the drop out with the probability of 0.25
model.add(Conv2D(128, (3, 3), activation='relu', padding='same'))
model.add(Conv2D(128, (3, 3), activation='relu', padding='same'))
model.add(MaxPooling2D(pool_size=(2, 2)))
model.add(Dropout(0.25))
model.add(Conv2D(256, (3, 3), activation='relu', padding='same'))
model.add(Conv2D(256, (3, 3), activation='relu', padding='same'))
model.add(MaxPooling2D(pool_size=(2, 2)))
model.add(Dropout(0.35))
# Finish the convolutional model and flatten the layer which does not affect the batch size.
model.add(Flatten())
# Use a dense layer (MLP) consisting of 256 neurons with relu activation functions
model.add(Dense(256, activation='relu'))
model.add(Dropout(0.35))
model.add(Dense(128, activation='relu'))
model.add(Dropout(0.25))
model.add(Dense(num_classes, activation='softmax'))
```


Results of training after tree training epochs:

Test loss: 2.1507028507232664
Test accuracy: 0.2071000039577484




Confusion (error) matrix after three training epochs:

	precision	recall	f1-score	support
0	0.20	0.62	0.30	1000
1	0.23	0.48	0.32	1000
2	0.00	0.00	0.00	1000
3	0.14	0.14	0.14	1000
4	0.00	0.00	0.00	1000
5	0.18	0.13	0.15	1000
6	0.50	0.00	0.01	1000
7	0.20	0.02	0.04	1000
8	0.21	0.37	0.27	1000
9	0.23	0.31	0.27	1000
accuracy				0.21
macro avg				0.19
weighted avg				0.19

Number of misclassified examples: 7929
 Misclassified examples:
 [0 3 4 ... 9994 9995 9999]

We usually train such networks for min. a few dozens of epochs to get satisfying results ...



CIFAR-10 Classification in Jupyter



Let's train the network longer (50 epochs, a few hours) and as you can see the **error (val_loss) systematically decreases**, and **the accuracy (val_acc) increases**:



Epoch 1/50							
97/97	[=====]	- 955s 10s/step	- loss: 2.2744	- acc: 0.1426	val_loss: 2.0892	val_acc: 0.2247	
					⋮	⋮	
Epoch 36/50							
97/97	[=====]	- 751s 8s/step	- loss: 0.6174	- acc: 0.7896	val_loss: 0.5071	val_acc: 0.8291	
Epoch 37/50							
97/97	[=====]	- 746s 8s/step	- loss: 0.6093	- acc: 0.7926	val_loss: 0.5017	val_acc: 0.8312	
Epoch 38/50							
97/97	[=====]	- 842s 9s/step	- loss: 0.5998	- acc: 0.7955	val_loss: 0.5083	val_acc: 0.8342	
Epoch 39/50							
97/97	[=====]	- 825s 9s/step	- loss: 0.5840	- acc: 0.8012	val_loss: 0.5187	val_acc: 0.8230	
Epoch 40/50							
97/97	[=====]	- 784s 8s/step	- loss: 0.5759	- acc: 0.8040	val_loss: 0.5108	val_acc: 0.8297	
Epoch 41/50							
97/97	[=====]	- 750s 8s/step	- loss: 0.5727	- acc: 0.8028	val_loss: 0.4975	val_acc: 0.8346	
Epoch 42/50							
97/97	[=====]	- 746s 8s/step	- loss: 0.5466	- acc: 0.8147	val_loss: 0.5339	val_acc: 0.8244	
Epoch 43/50							
97/97	[=====]	- 737s 8s/step	- loss: 0.5483	- acc: 0.8123	val_loss: 0.4840	val_acc: 0.8422	
Epoch 44/50							
97/97	[=====]	- 746s 8s/step	- loss: 0.5380	- acc: 0.8161	val_loss: 0.5666	val_acc: 0.8069	
Epoch 45/50							
97/97	[=====]	- 732s 8s/step	- loss: 0.5195	- acc: 0.8235	val_loss: 0.5502	val_acc: 0.8169	
Epoch 46/50							
97/97	[=====]	- 688s 7s/step	- loss: 0.5108	- acc: 0.8273	val_loss: 0.5784	val_acc: 0.8143	
Epoch 47/50							
97/97	[=====]	- 292s 3s/step	- loss: 0.5134	- acc: 0.8242	val_loss: 0.4603	val_acc: 0.8477	
Epoch 48/50							
97/97	[=====]	- 296s 3s/step	- loss: 0.4951	- acc: 0.8319	val_loss: 0.5570	val_acc: 0.8194	
Epoch 49/50							
97/97	[=====]	- 282s 3s/step	- loss: 0.4917	- acc: 0.8320	val_loss: 0.4934	val_acc: 0.8380	
Epoch 50/50							
97/97	[=====]	- 280s 3s/step	- loss: 0.4857	- acc: 0.8353	val_loss: 0.4985	val_acc: 0.8385	

CIFAR-10 Classification in Jupyter



The graphs also show this convergence process:



Test loss: 0.4984995872974396
Test accuracy: 0.8385000228881836



CIFAR-10 Classification in Jupyter



The confusion matrix has also improved: more examples migrate towards the diagonal (correct classifications) from other regions:



CIFAR-10 Classification in Jupyter



The number and the accuracy of correctly classified examples for all individual classes increase:



	precision	recall	f1-score	support		precision	recall	f1-score	support
0	0.20	0.62	0.30	1000	0	0.87	0.88	0.87	1000
1	0.23	0.48	0.32	1000	1	0.94	0.94	0.94	1000
2	0.00	0.00	0.00	1000	2	0.81	0.78	0.79	1000
3	0.14	0.14	0.14	1000	3	0.79	0.57	0.67	1000
4	0.00	0.00	0.00	1000	4	0.84	0.77	0.80	1000
5	0.18	0.13	0.15	1000	5	0.81	0.76	0.78	1000
6	0.50	0.00	0.01	1000	6	0.69	0.96	0.80	1000
7	0.20	0.02	0.04	1000	7	0.89	0.89	0.89	1000
8	0.21	0.37	0.27	1000	8	0.94	0.90	0.92	1000
9	0.23	0.31	0.27	1000	9	0.85	0.94	0.89	1000
accuracy			0.21	10000	accuracy			0.84	10000
macro avg	0.19	0.21	0.15	10000	macro avg	0.84	0.84	0.84	10000
weighted avg	0.19	0.21	0.15	10000	weighted avg	0.84	0.84	0.84	10000

However, we can see that the process of network training is not over yet and should be continued for several dozen epochs.

CIFAR-10 Classification in Jupyter



Examples of misclassifications after 50 training epochs for a test set of 10,000 examples: The number of misclassifications decreased from 7929 after 3 epochs to 1615 after 50 epochs.

```
Number of misclassified examples: 7929
Misclassified examples:
[  0   3   4 ... 9994 9995 9999]
```




```
Number of misclassified examples: 1615
Misclassified examples:
[  9  15  24 ... 9982 9985 9996]
```

We can see that in the case of this training set, the convolution network should be taught much longer (16.15% of incorrect classifications remain) or the structure or the hyperparameters of the model should be changed.

CIFAR-10 Classification in Jupyter



Sample misclassified examples:



airplane 0



automobile 1



bird 2



cat 3



deer 4



dog 5



frog 6



horse 7



ship 8




truck 9



CIFAR-10 Classification in Jupyter



Sample misclassified examples:



airplane	0	
automobile	1	
bird	2	
cat	3	
deer	4	
dog	5	
frog	6	
horse	7	
ship	8	
truck	9	

Hyperparameter Experiments



According to the lectures experiment with hyperparameters of these models:

- Try to achieve better performance
- Try to change optimizers, regularization method, data augmentation ranges and parameters, learning rate, training procedure (fitting the model) etc.
- Change the network structure: layers and number of convolutional feature detectors (slices).
- Download another dataset (e.g. from [UCI ML Repository](#)) and try to adapt the classification models using convolutional neural networks (CNN) developed for the MNIST or CIFAR-10 to this dataset.



Let's start with powerful computations!





Bibliography and Literature


1. Nikola K. Kasabov, *Time-Space, Spiking Neural Networks and Brain-Inspired Artificial Intelligence*, In Springer Series on Bio- and Neurosystems, Vol 7., Springer, 2019.
2. Ian Goodfellow, Yoshua Bengio, Aaron Courville, *Deep Learning*, MIT Press, 2016, ISBN 978-1-59327-741-3 or PWN 2018.
3. Holk Cruse, *Neural Networks as Cybernetic Systems*, 2nd and revised edition
4. R. Rojas, *Neural Networks*, Springer-Verlag, Berlin, 1996.
5. *Convolutional Neural Network* (Stanford)
6. *Visualizing and Understanding Convolutional Networks*, Zeiler, Fergus, ECCV 2014
7. IBM: <https://www.ibm.com/developerworks/library/ba-data-becomes-knowledge-1/index.html>
8. NVIDIA: <https://developer.nvidia.com/discover/convolutional-neural-network>
9. JUPYTER: <https://jupyter.org/>
10. <https://www.youtube.com/watch?v=XNKeayZW4dY>
11. <https://victorzhou.com/blog/keras-cnn-tutorial/>
12. <https://github.com/keras-team/keras/tree/master/examples>
13. <https://medium.com/@margaretmz/anaconda-jupyter-notebook-tensorflow-and-keras-b91f381405f8>
14. <https://blog.tensorflow.org/2019/09/tensorflow-20-is-now-available.html>
15. <http://coursera.org/specializations/tensorflow-in-practice>
16. <https://udacity.com/course/intro-to-tensorflow-for-deep-learning>
17. MNIST sample: <https://medium.com/datadriveninvestor/image-processing-for-mnist-using-keras-f9a1021f6ef0>
18. Heatmaps: <https://towardsdatascience.com/formatting-tips-for-correlation-heatmaps-in-seaborn-4478ef15d87f>



Adrian Horzyk

horzyk@agh.edu.pl

Google: [Horzyk](#)



**University of
Science and
Technology
in Krakow, Poland**